```
=> d l1
L1 HAS NO ANSWERS
L1 STI
```

7 0 |||| Cb^ Hy~N~ C~ N~ Hy 1 2 3 4 5 6

NODE ATTRIBUTES:
DEFAULT MLEVEL IS ATOM
GGCAT IS MCY LOQ AT 6
GGCAT IS MCY LOQ AT 6
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 7

STEREO ATTRIBUTES: NONE

=> s 11 ful FULL SEARCH INITIATED 17:59:02 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 742071 TO ITERATE

100.0% PROCESSED 742071 ITERATIONS SEARCH TIME: 00.00.09

300 ANSWERS

L3 300 SEA SSS FUL L1

=> s 13 and pyrrolidin?
587764 PYRROLIDIN?
L4 17 L3 AND PYRROLIDIN?

=> d 1-17

L4 ANSWER 1 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 887212-58-0 REGISTRY

ED Entered STN: 08 Jun 2006

CN Urea, N'-[1-(4-chlorophenyl)-5-oxo-3-pyrrolidinyl]-N-methyl-N-(1-methyl-4-piperidinyl)- (9CI) (CA INDEX NAME)

MF C18 H25 C1 N4 O2

SR Chemical Library

Supplier: Aurora Fine Chemicals

L4ANSWER 2 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN

887212-46-6 REGISTRY Entered STN: 08 Jun 2006 ED

Urea, N'-[1-(3-fluorophenyl)-5-oxo-3-pyrrolidinyl]-N-methyl-N-(1methyl-4-piperidinyl)- (9CI) (CA INDEX NAME)

C18 H25 F N4 O2 MF

SR Chemical Library

Supplier: Aurora Fine Chemicals

L4 ANSWER 3 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 762279-19-6 REGISTRY

ED Entered STN: 14 Oct 2004

CN 1-Pyrrolidinecarboxamide, N-[(3R)-1-[3-(4-chlorophenyl)propyl]-3-pyrrolidinyl]-N-methyl-3-[methyl[[(2-methyl-1,5-diphenyl-1H-pyrrol-3-yl)amino]carbonyl]amino]-, (3S)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C38 H45 C1 N6 O2

SR CA

LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 4 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN.

RN 757181-07-0 REGISTRY

ED Entered STN: 06 Oct 2004

CN Urea, N'-[5-(3,5-difluorophenyl)-2-pyridinyl]-N-methyl-N-(3S)-3-pyrrolidinyl- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C17 H18 F2 N4 O

CI COM

SR CA

L4 ANSWER 5 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 438585-79-6 REGISTRY

ED Entered STN: 16 Jul 2002

CN Urea, N'-[5-(3,5-difluorophenyl)-2-pyridinyl]-N-methyl-N-(3S)-3-pyrrolidinyl-, monohydrochloride (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C17 H18 F2 N4 O . Cl H

SR CA

LC STN Files: CA, CAPLUS, USPATZ, USPATFULL

CRN (757181-07-0)

Absolute stereochemistry.

● HCl

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 6 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN RN 438585-78-5 REGISTRY

ED Entered STN: 16 Jul 2002

CN 1-Pyrrolidinecarboxylic acid, 3-[[[[5-(3,5-difluorophenyl)-2-pyridinyl]amino]carbonyl]methylamino]-, 1,1-dimethylethyl ester, (3S)-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C22 H26 F2 N4 O3

SR CA

LC STN Files: CA, CAPLUS, USPAT2, USPATFULL

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 7 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 438584-49-7 REGISTRY

ED Entered STN: 16 Jul 2002

CN 3-Pyrrolidinamine, N-[[[5-(3,5-difluorophenyl)-2-pyridinyl]amino]carbonyl]-N-methyl-1-(methylsulfonyl)-, (3S)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C18 H20 F2 N4 O3 S

SR CA

LC STN Files: CA, CAPLUS, USPAT2, USPATFULL

2 REFERENCES IN FILE CA (1907 TO DATE)

2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 8 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 292171-43-8 REGISTRY

ED Entered STN: 03 Oct 2000

CN Urea, N,N''-bis[(3S)-1-(4-cyanophenyl)-2-oxo-3-pyrrolidinyl](9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C23 H20 N6 O3

SR CA

LC STN Files: CA, CAPLUS

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 9 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 284038-71-7 REGISTRY

ED Entered STN: 08 Aug 2000

CN Urea, N-[(2R,4S)-1-(4-chlorophenyl)-4-methyl-5-oxo-2-pyrrolidinyl]-N'-3-pyridinyl-, rel- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C17 H17 C1 N4 O2

SR CA

LC STN Files: CA, CAPLUS

Relative stereochemistry.

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 10 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 284038-69-3 REGISTRY

ED Entered STN: 08 Aug 2000

CN Urea, N-[(2R,4S)-1-(4-fluorophenyl)-4-methyl-5-oxo-2-pyrrolidinyl]-N'-4-pyridinyl-, rel- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C17 H17 F N4 O2

SR CA

LC STN Files: CA, CAPLUS

Relative stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 1 REFERENCES IN FILE CA (1907 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 11 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN RN 284038-67-1 REGISTRY

.ED Entered STN: 08 Aug 2000

CN Urea, N-(2-chloro-4-pyridinyl)-N'-[(2R,4S)-1-(4-fluorophenyl)-4-methyl-5-oxo-2-pyrrolidinyl]-, rel- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C17 H16 C1 F N4 O2

SR CA

LC STN Files: CA, CAPLUS

Relative stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 12 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 223404-10-2 REGISTRY

ED Entered STN: 21 May 1999

FS STEREOSEARCH

MF C30 H36 N6 O5 . C2 H F3 O2

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL

CM 1

CRN 223403-62-1 CMF C30 H36 N6 O5

CM 2

CRN 76-05-1 CMF C2 H F3 O2

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 13 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 223404-08-8 REGISTRY

ED Entered STN: 21 May 1999

CN 1-Pyrrolidineacetamide, 3-[4-[(2,6-dichloro-4-pyridinyl)methoxy]phenyl]-N-hydroxy-α-(2-methylpropyl)-2-oxo-3-[[(2-pyridinylamino)carbonyl]amino]-, (αR)-, mono(trifluoroacetate) (salt) (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C28 H30 C12 N6 O5 . C2 H F3 O2

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPAT7, USPATFULL

CM 1

CRN 223403-60-9

CMF C28 H30 C12 N6 O5

CM 2

CRN 76-05-1 CMF C2 H F3 O2

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L4 ANSWER 14 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN

RN 223403-62-1 REGISTRY

ED Entered STN: 21 May 1999

CN 1-Pyrrolidineacetamide, 3-[4-[(2,6-dimethyl-4-pyridinyl)methoxy]phenyl]-N-hydroxy-α-(2-methylpropyl)-2-oxo-3-[[(2-pyridinylamino)carbonyl]amino]-, (αR)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C30 H36 N6 O5

CI . COM

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL

- 2 REFERENCES IN FILE CA (1907 TO DATE)
- 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L4 ANSWER 15 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN
- RN 223403-60-9 REGISTRY
- ED Entered STN: 21 May 1999
- CN 1-Pyrrolidineacetamide, 3-[4-[(2,6-dichloro-4-pyridinyl)methoxy]phenyl]-N-hydroxy-α-(2-methylpropyl)-2-oxo-3-[[(2-pyridinylamino)carbonyl]amino]-, (αR)- (9CI) (CA INDEX NAME)
- FS STEREOSEARCH
- MF C28 H30 C12 N6 O5
- CI COM
- SR CA
- LC STN Files: CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

- 2 REFERENCES IN FILE CA (1907 TO DATE)
- 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)
- L4 ANSWER 16 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN RN 223403-21-2 REGISTRY

```
Entered STN: 21 May 1999
ED
     1-Pyrrolidineacetamide, 3-[4-[(2,6-dichloro-4-
CN
     pyridinyl)methoxy]phenyl]-N-hydroxy-α-methyl-2-oxo-3-[[(4-
     pyridinylamino)carbonyl]amino]-, (αR)-, mono(trifluoroacetate)
                  (CA INDEX NAME)
     (salt) (9CI)
     STEREOSEARCH
FS
     C25 H24 C12 N6 O5 . C2 H F3 O2
MF
SR
                  CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL
     STN Files:
LC
          1
     CM
          223403-20-1
     CRN
         C25 H24 C12 N6 O5
     CMF
```

Absolute stereochemistry.

CRN 76-05-1 CMF C2 H F3 O2

2 REFERENCES IN FILE CAPLUS (1907 TO DATE) ANSWER 17 OF 17 REGISTRY COPYRIGHT 2006 ACS on STN L4223403-20-1 REGISTRY RN Entered STN: 21 May 1999 ED 1-Pyrrolidineacetamide, 3-[4-[(2,6-dichloro-4-CN pyridinyl)methoxy]phenyl]-N-hydroxy- α -methyl-2-oxo-3-[[(4pyridinylamino)carbonyl]amino]-, (\alpha R)- (9CI) (CA INDEX NAME) FS STEREOSEARCH MF C25 H24 C12 N6 O5 CI COM SR CA STN Files: CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL LC

2 REFERENCES IN FILE CA (1907 TO DATE)

Absolute stereochemistry.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> fil caplus
COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION
207.52 207.73

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 18:01:58 ON 28 SEP 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Sep 2006 VOL 145 ISS 14 FILE LAST UPDATED: 27 Sep 2006 (20060927/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 15

L6 1 L5

=> d bib abs hitstr

L6 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN

AN 2000:554286 CAPLUS

DN 133:242754

TI Development and validation of a single robust HPLC method for the characterization of a pharmaceutical starting material and impurities from three suppliers using three separate synthetic routes

AU Sheldon, E. M.; Downar, J. B.

CS Searle, Monsanto, Chemical Sciences Analytical Department, Skokie, IL, 60077, USA

SO Journal of Pharmaceutical and Biomedical Analysis (2000), 23(2-3), 561-572 CODEN: JPBADA; ISSN: 0731-7085

PB Elsevier Science B.V.

DT Journal

LA English

AB Novel approaches to the development of anal. procedures for monitoring incoming starting material in support of chemical/pharmaceutical processes are described. High technol. solns. were utilized for timely process development and preparation of high quality clin. supplies. A single robust HPLC method was developed and characterized for the anal. of the key starting material from three suppliers. Each supplier used a different process for the preparation of this material and, therefore, each suppliers' material exhibited a unique impurity profile. The HPLC method utilized standard techniques acceptable for release testing in a QC/manufacturing environment. An automated exptl. design protocol was used to characterize the robustness of the HPLC method. The method was evaluated for linearity, limit of quantitation, solution stability, and precision of replicate injections. An LC-MS method that emulated the release HPLC method was developed and the identities of impurities were mapped between the two methods.

IT 292171-43-8

RL: ANT (Analyte); ANST (Analytical study)
(development and validation of robust HPLC method for characterization
of pharmaceutical starting material and impurities from three suppliers
using three sep. synthetic routes)

RN 292171-43-8 CAPLUS

CN Urea, N,N''-bis[(3S)-1-(4-cyanophenyl)-2-oxo-3-pyrrolidinyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD